



# HONEYWELL DATA LOGGERS - INTRODUCTION

**SURAJ SUBRAMONIAM**

**June 25, 2019**

**Honeywell**

# HONEYWELL BLE BASED DATA LOGGERS



## VARIANT I – SINGLE TIME USE

Temperature : -30 Deg C - + 55 DegC

Accuracy : +/- 0.3 Deg C

Humidity : 0 – 100% RH

Accuracy : +/- 1% RH

Data Points : 16,000 Max

Battery life : 120 days



## VARIANT II – REUSABLE

Temperature : -30 Deg C - + 55 DegC

Accuracy : +/- 0.3 Deg C

Humidity : 0 – 100% RH

Accuracy : +/- 1% RH

Data Points : 16,000 Max

Battery life : 365 days (replaceable)

**All variants shall comply to 21 CFR Part 11, CE, EN 12830, WPC and DO 160G**



# CONNECT

Pair the mobile device  
with the data loggers

Attach the shipment


Confirm the shipment  
on your mobile device




# CONNECT, TRACK, PROTECT – EVEN DOWN TO THE PACKAGE LEVEL FOR COMPLEX LOGISTICS



## Customize – It's Flexible



Shipment Name : lalatest1012v4  
Current Location : I-40, Moriarty, NM 87035, USA Timestamp :  
Sun Oct 15 2017 12:16:10 GMT-0400 (EDT) Telemetry  
Information : Light:0 Lux Humidity:26% Temperature:11°C  
Pressure:880 mBar Shock:0.9 G Tilt:NaN°



Select/Deselect Tags

1. Information at the pallet or package level
2. Download our monitoring software on mobile devices
3. Identify the stakeholders important to you for automatic report generation
4. Retrieve data via Bluetooth, USB, Gateway\*
5. Archive data on cloud